



MOT/ATL



BradMac Garage Equipment and Services Limited

Is owned by Keith W. McLaren, formerly with Bradbury Equipment for almost 20 years, latterly as General Manager for 10 years. Keith brings with him 32 years of automotive experience and knowledge to make sure you as a customer get the right product, at the right price, with a service back up second to none.

BradMac supply equipment all over the UK and have factory trained engineers located North to South to make sure you the customer and your equipment have a service back up you can rely on.

BradMac's extensive knowledge of the garage equipment industry will ensure the equipment is fit for the job and can be adapted to meet the customers individual needs, each install guarantees customer satisfaction.

VTEQ

Based in Spain, has been manufacturing Brake Testers for over 15 years and is widely recognised as a universal leader in the development, production, supply and servicing of Vehicle Testing Equipment.

The company's extensive range of brake testing equipment is supplied to more than 70 countries world-wide, with more than 4,000 test lanes in operation in countries, including the UK, Dubai, India, Europe, Brazil and China.

VTEQ is dedicated to manufacturing quality machinery at competitive prices through research and development, consistency and reliability within its products.



BRAKE 1000

CLASS 1 & 2 BRAKE TESTER

- Integrated weighing
- Robust cabinet & 23" TFT monitor
- PC package
- Headlamp aligner
- Alignment bars


CLASS 1 & 11 MOT BAY

MOTORBIKE ROLLER BRAKE TESTER

The BRAKE 1000 Motorcycles roller brake tester covers all the needs for testing brakes on two wheels, includes weighing scales, soft starter motor and Remote Control.

SPECIFICATION:

Size	1.020 x 620 x 260 mm	Test speed	5,3 Km/h
Weight	120 Kg	Motors	1 x 2.5 kW
Maximum axle weight	1.000 Kg	Measurement range	0 ÷ 3 kN
Rollers size	300 x 206 mm	Power supply	3 x 230 / 3 x 400V 50 / 60 Hz



UPGRADE CLASS 4 & 7 TO MOTORCYCLE

- Motorcycle software
- Motorcycle cover plate

Additional items that maybe required

- Headlamp aligner
- Vehicle weighing
- Second screen
- Alignment bars
- Decelerometer



CLASS 4 & 7 MOT/ATL BAY

LIGHT DUTY VEHICLES ROLLER BRAKE TESTER 6T

The Brake 3080 is ideal for testing all kind of light duty vehicles, whether it is for Cars, Vans or even small trucks. DVSA approved, it provides all the features you might need, including latest windows operated PC with 23" Monitor, 10" Tablet, 4wd testing, remote control, soft starters motors, roller covers and bi-directional operation. Can be upgraded to Motorcycle testing or a full test lane including Shock Absorber Testing and Side Slip. Split bed version also available.

SPECIFICATION

Size	2.920 x 680 x 280 mm	Test Speed	5,4 Km/h
Weight	600 Kg	Motors	2 x 5,5 kW
Track Width	860-2.800 mm	Measurement Range	0 ÷ 12 kN
Max. Axle Weight	6.000 Kg	Power Supply	3 x 400V
Rollers Size	990 x 206 mm		50 / 60 Hz

4 POST LIFT STANDARD FEATURES


BRAKE 3080

CLASS 4 & 7 BRAKE TESTER

- Robust cabinet & 23" TFT monitor
- PC package & 10" tablet
- Headlamp aligner
- Jacking beam
- Pedal depressor & mirror x 2
- Plus choice of: 4 post lift/Hybrid/Scissor or Pit

- Play detector (DVSA/GEA approved)
- Captive Radius Plates
- Mech. safety device in case of rope breaking
- Overload safety-valve
- Descent control valve

- 24V-"Dead man" controls
- Automatic safety wedges
- Automatic descent control
- Soundproof safety wedges
- Acoustic warning final descent phase
- Safety-valve in case of sudden loss of pressure



VTEQ RETRO 7

SPECIFICATION

Operation	Electro-hydraulic	Weight	1310 kg
Capacity	4.000 kg	Lifting/lowering	30/30 s
Platform Length	5200mm	Lowered Height	155mm
Platform Width	630mm	Lifting height	1830mm.
Width between posts	2850mm	Motor	3 kW - 3ph. 230-400V/50Hz

VTEQ RETRO 7

4 Tonne, 5200mm Platform 155 recess

VTEQ CLASSIC 7

SPECIFICATION

Operation	Electro-hydraulic	Weight	1400 kg
Capacity	5.000 kg	Lifting/lowering	30/30 s
Platform Length	5700mm	Lowered Height	155mm
Platform Width	630mm	Lifting height	1830mm.
Width between posts	2850mm	Motor	3 kW - 3ph. 230-400V/50Hz



VTEQ CLASSIC 7

5 Tonne, 5700mm Platform 155 recess

VTEQ AVANTGARDE 7

SPECIFICATION

Operation	Electro-hydraulic	Weight	1570 kg
Capacity	5.000 kg	Lifting/lowering	30/30 s
Platform Length	6500mm	Lowered Height	155mm
Platform Width	630mm	Lifting height	1830mm.
Width between posts	2850mm	Motor	3 kW - 3ph. 230-400V/50Hz



Vteq Avantgarde 7

5 Tonne, 6500mm Platform 155 recess

Hybrid, Pit and Scissor Lifts are available in all versions of MOT/ATL.





BRAKE 3080

CLASS 4 BRAKE TESTER

Robust cabinet & 23" TFT monitor

PC package & 10" tablet

Headlamp aligner

Jacking beam

Pedal depressor & mirror x 2

Plus choice of: 4 post lift/Hybrid/Scissor or Pit

CLASS 4 MOT/ATL BAY

CAR ROLLER BRAKE TESTER 4T

The Brake 3000 for cars, DVSA approved, provides all the features you might need, including latest windows operated PC with 23" Monitor, 10" Tablet, 4wd testing, remote control, soft start motors, roller covers and bi-directional operation. Can be upgraded to Motorcycle testing or a full test lane including Shock Absorber Testing and Side Slip. Split bed version also available.

SPECIFICATION

Size	2.320 x 680 x 280 mm	Test speed	5,4 Km/h
Weight	480 Kg	Motors	2 x 4,6 kW
Track width	780 ÷ 2.200 mm	Measurement range	0 ÷ 6 kN
Max. axle weight	4.000 Kg	Power supply	3 x 230 / 3 x 400V
Rollers size	723 x 206 mm		50 / 60 Hz

4 POST LIFT STANDARD FEATURES

Play detector (DVSA/GEA approved)

Captive Radius Plates

Mech. safety device in case of rope breaking

Overload safety-valve

Descent control valve

Safety-valve in case of sudden loss of pressure

24V-"Dead man" controls

Automatic safety wedges

Automatic descent control

Soundproof safety wedges

Acoustic warning final descent phase



VTEQ CLASSIC 4 & VTEQ RETRO 4

4 tonne, 4510mm platform, 155mm/130mm recess

VTEQ CLASSIC 4 & VTEQ RETRO 4

SPECIFICATION

Operation	Electro-hydraulic	Weight	980 kg/ 1050 kg
Capacity	4.000 kg	Lifting/lowering	30/30 s
Platform Length	4510mm	Lowered Height	155mm/130mm
Platform Width	565mm	Lifting height	1750mm/1830mm
Width between posts	2700mm/2370mm	Motor	3 kW - 3ph. 230-400V/50Hz

VTEQ AVANTGARDE 4

SPECIFICATION

Operation	Electro-hydraulic	Weight	1310 kg
Capacity	4.000 kg	Lifting/lowering	30/30 s
Platform Length	5200mm	Lowered Height	155mm
Platform Width	630mm	Lifting height	1830mm.
Width between posts	2850mm	Motor	3 kW - 3ph. 230-400V/50Hz



VTEQ AVANTGARDE 4

4 Tonne, 5200mm Platform 155 recess



Hybrid, Pit and Scissor Lifts are available in all versions of MOT/ATL.

BradMac in perfect partnership with



All brake testers are DVSA/GEA approved



BRADMAC GARAGE EQUIPMENT AND SERVICES LIMITED

Spalding House 90/92 Queen Street Broughty Ferry Dundee DD5 1AJ

Telephone 01382 698050 Mobile 07734 206351

Email keith@bradmac.co.uk Web www.bradmac.co.uk